Quality of the Soil, Timber, &c. on the Township Lines.

East Boundary.

Sec. 36	Land rolling 2d rate: Barrens with scattering Oak & Hickory. U. G. Same
" 25	Land as before
" 24	Land as before
" 13	Land as last described
" 12	Land as before
" 1	Land except Lake, as before

South Boundary.

Sec. 36	Land rolling 2d rate, Timb. Oak: U. G. Hazle & Oak
" 35	Land level 2d rate, Timb. Oak, Ash & Beech. U. G. Spice & Hickory
" 34	Land level 2d rate, Timb. Poplar Beech & Elm, U. G. Spice
" 33	Same.
" 32	Rolling 2d rate. Oak openings.
" 31	Same.

Description of the Land, Timber, &c. on the Interior Sectional Lines.

35, 36,	Land rolling 1st ½ mile 2d rate; Last ½ 3d rate: Oak, Beech, Poplar, Hickory
25, 36,	Land 3d rate, Rolling, W & B. Oak & Hickory
25, 26,	Land Same as last Mile
24, 25,	Land Same
23, 24,	Land 3d rolling: W. & B. Oak. (3d rate)
13, 24,	Land 3d rate, Level, W. & B. Oak
13, 14,	Land 3d rate, W. & B. Oak: Rolling land Same
12, 13,	Land 3d rate: Hilly, Hickory R. & W. Oak &c
11, 12,	Land Same
1, 12,	Land, Same,
1, 2,	Land, Same,
34, 35,	Land S. & N. of Swamp 2d rate; W. & R. Oak, Lynn, Sugar, Hickory Sassafras
26, 35,	Land Same
26, 27,	Land 2d rate; Oak, Poplar, Ash, Ironwood &c (Beech)
23, 26,	Land Same
22, 23,	Land, Same,
14, 23,	Land 2d rate, rolling W. & B. Oak,
14, 15,	Land 3d rate, level; W. & R. Oak,
11, 14,	Land East of Marsh, Same as last, Mile
10, 11,	Land, rolling 2d rate, W. & B. Oak, Hickory &c
2, 11,	Land 3d rate broken, W. & B. Oak, Hickory &c
2, 3,	Land broken, W. & B. Oak 3d rate.
33, 34,	Gently Rolling 1st rate. Elm. Ash. Oak, Walnut, Spice, Sassafras Vines &c
27, 34,	Land, E. of Marsh Same, W. of Marsh 2d rate, W. & R. Oak Sassafras & (aspen)
27, 28,	Level rich 2d rate except Swamp. Elm. Ash Oak. Beech, Walnut &c.
22, 27,	Land Same as 23, 26,
21, 22,	Same as 33 & 34.
15, 22,	Land West of Marsh, 2d rate, level, Oak, Poplar, Lynn, Hazle, Ash.
15, 16,	Same as 33 & 34.
10, 15,	Land 3d rate, level W. & B. Oak Bushes
9, 10,	Land 2d rate, level; W. Br. & Black Oak, Ash, Hickory, Ironwood & Hazle
3, 10,	Land East of Swamp 3d rate, rolling; Oak.
3, 4,	Land North of Swamp (Marsh) 2d rate rolling; B. & W. Oak.
32, 33,	Rolling & 2d rate. Oak, Ash. Elm. Beech. Sugar. Spice. B. Ash &c.
28, 33,	Same.
28, 29,	Same but level.
21, 28,	Same.
20, 21,	Gently rolling. rich 2d rate. Mostly Sugar. Beech. Lynn. Ash &c.
16, 21,	Same.
16, 17,	Same.
9, 16,	Same.
8, 9,	Land 2d rate, level, W. & R. Oak, Ash, Poplar, Beech, B. Ash, Ironwood, Spice &c
4, 9,	Land West of Marsh, 2d rate, W. & R. Oak, Poplar, Dogwood Hazle &c
4, 5,	Land South of Marsh, 2d rate W. & B. Oak, Aspen, Hazle, Sassafras
31, 32,	Rolling & 3d rate. Oak Hickory &c. Sassafras & Grapevines.
29, 32,	Same. except rich 2d rate.
30, 31,	Same.
29, 30,	Same.
20, 29,	Same.
19, 30,	Same.
19, 20,	Same. level.
17, 20,	Same.
18, 19,	Same.
17, 18,	Same.
8, 17,	Gently Rolling rich 2d rate Timber &c Same.
7, 18,	Same.
7, 8,	Land Same as 5, 8,
5, 8,	Land 2d rate level; Ash, Hickory, Elm, Oak, Poplar, Beech, Ironwood, Hazle &c
6, 7,	Land low & level, B. Ash, Elm, Hickory Sycamore & Ash &c
5, 6,	Land South of Swamp, Same as 5, 8, in Swamp, Elm, Willow & Aspen.

Corners on Small Lakes & Indian Reserve

The figures in this column refer to the Posts numbered in red ink on the Plats.

Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant
1	B. Oak	20	S 53 W	1.18
	Do	10	S 29½ W	1.72
2	B. Oak	18	S 70½ W	4.62
	W. Oak	18	S 63½ W	4.79
3	Post in Mound			
4	W. Oak	16	N 73½ E	1.56
	Do	18	S 87 E	1.38
5	W. Oak	12	S 82 E	2.39
	Do	10	East	2.19
6	W. Oak	30	N 86½ W	2.50
	Do	24	S 49½ W	2.20
7	Hickory	10	S 42 W	1.85
	W. Oak	30	South	4.02
8	R. Oak	12	S 37 E	92
	W. Oak	20	N 85 E	1.47
9	W. Oak	26	S 48½ W	2.58
	Hickory	9	S 19½ W	2.14
10				
11				
12	W. Oak	21	N 87 E	3.18
	Do	20	N 85 E	3.24
13	B. Oak	11	S 78 W	1.21
	Hickory	4	N 85 W	1.50
14	W. Oak	18	S 10 W	187
	Do	18	S 41½ E	220
15	Beech	16	N 16 E	32
	Blue Ash	12	N 46 W	11
16	Beech	20	N 8½ E	46
	Buckeye	7	N 70½ W	33
17	W. Ash	14	N 10½ E	12½
	Do	12	N 34½ W	—
18	W. Oak	18	N 51½ E	31
	Do	20	N 9½ W	05
19	W. Oak	17	S 41½ W	24
	Do	16	N 22 E	15
20	W. Oak	12	N 16⅔ E	2.48
	Do	20	N 59½ E	2.58
21	Lynn	12	N 53½ E	27
	Do	12	S 12½ E	76
22	Aspen	6	N 7½ E	37
	Elm	10	S 81½ E	35
23	W. Oak	24	S 73½ E	33½
	Do	12	N 19 E	58
24	Ironwood	8	N 45½ E	42
	Hickory	9	S 49½ E	71
25	B. Oak	14	South	3.00
	Poplar	20	S. 70 W	2.22
26	B. Oak	28	S. 85 E	3.05
	do	18	N. 36 E	2.62
27	Post in Prairie No trees			
28	B. Oak	21	West	2.60
29	Hickory	9	S. 22 W	33
	Ironwood	12	S. 70 E	60
30	R. Oak	22	S. 31 E	13
	Beech	22	S. 44 W	22
31	Ash	10	S. 61 W	26
	Poplar	20	S. 7 E	40
32				
33				
34				
35				
36				
37				

Township No. 34 N. **Range No.** 8 E 2nd **Meridian.** Ind.a

Exterior Section and Quarter Section Corners Described.

Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant
A	Post	in	Mound	
a				
B	Aspen	10	S 3¾ E	39
	Do	4	S 1½ W	84
b				
C	W. Oak	12	S 49¼ W	10½
	Do	18	S 88⅓	4.86
c				
D	W. Oak	24	S 38½ E	2.41
	B. Oak	20	S 10¼ W	1.91
d				
E	Corner	in	Lake	
e				
F	W. Oak	20	N 47½ E	6.24
	R. Oak	6	N 57 W	3.68
f				
G	W. Oak	18	N 73 W	71
	Do	30	N 82 E	80
g				
H	Hickory	10	S 42 W	1.85
	W. Oak	30	South	4.02
h	B. Oak	25	N 11 W	44.
	W. Oak	18	S 79 W	79
I	W. Oak	24	N 15 W	2.27
	Hickory	7	S 51 W	21
i	Br. Oak	35	S 75 W	1.50
	W. Oak	19	N 55 E	85
K	W. Oak	20	N 41 W	130
	B. Oak	25	S 41 W	1.30
k	B. Oak	35	N 2 W	1.33
	W. Oak	30	N 81 E	1.31
L	W. Oak	35	N 38 W	45
	Do	24	S 15 W	1.35
l	W. Oak	8	N 50 W	75
	Hickory	7	S 27 W	57
M	W. Oak	21	N 34 W	84
	Do	21	S 30 W	1.03
m	B. Oak	19	N 80 W	40
	Do	8	S 30 W	31
N	B. Ash	18	N 31 W	50
	Hickory	10	S 1 W	34
n	W. Oak	24	N 25 E	1.45
	Do	35	S 50 W	87
O	Poplar	35	N 34 E	1.05
	Hickory	9	N 81 W	47
o	S. Ash	18	N 88 E	25
	Tamarack	8	N 70 W	30
P	B. Ash	12	N 77 E	12
	Beech	18	N 80 W	55
p	Beech	20	N 38 E	28
	Do	16	N 75 W	41
Q	B. Oak	42	S. 68 E	66
	do	36	S. 10 E	17
q	B. Walnut	24	N. 67 E	73
	Elm	14	N. 74 W	23
R	W. Oak	24	N. 67 E	64
	Poplar	24	N. 31 W	36
r	B. Oak	22	N. 78 E	94
	W. Oak	18	N. 45 E	1.34
S	W. Oak	14	N. 42 E	6
	do	20	N. 45 W	83
s	Beech	26	N. 49 E	12
	Ironwood	7	N. 64 W	57
T	Beech	24	S. 83½ W	75
	B. Oak	11	N. 1 W	58
t	Beech	26	N. 34 W	13
	do	15	S. 27½ W	89
U	B. Oak	10	S. 7½ E	28
	do	5	N. 40 E	26

Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant
u	W. Oak	18	N. 3½ W	49
	do	16	S. 53 W	42
V	B. Oak	40	S. 27 E	1.46
v	Beech	9	S. 50 W	30
	do	10	N. 55 W	41
W	Lynn	9	N. 28 E	23
	G. Ash	28	S. 41 E	37
w	Beech	10	S. 34 W	22
	W. Ash	18	N. 72 W	32
X	G. Ash	20	S. 7½ E	41
	Beech	10	N. 30 E	60
x	B. Ash	12	S. 44 W	42
	Lynn	28	N. 70 W	33
Y	B. Ash	18	S 18 E	25
	Bur. Oak	8	N 38½ E	36
y	Elm	10	N 69 W	40
	Do	12	S. —	

Interior Section Corners Described.


Corners of Sections.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant
25, 26, 35, 36,	W. Oak	19	N 80½ E	2.58
	Do	15	N 6½ W	3.16
23, 24, 25, 26,	B. Oak	10	N 12¾ W	1.52
	Do	18	S 58¾	1.66
13, 14, 23, 24,	W. Oak	24	S 83½ E	1.34
	Do	26	N 39½ W	1.40
11, 12, 13, 14,	B. Oak	24	S 14¼ E	1.28
	Hickory	12	N 7½ W	49½
1, 2, 11, 12,	W. Oak	20	S 32½ W	1.03
	B. Oak	18	N 23 E	2.10
26, 27, 34, 35,	W. Oak	24	S 58¾ E	39
	Ironwood	9	N 34½ W	85
22, 23, 26, 27,	Lynn	20	S 26¾ E	39
	Blue Ash	8	N 28 W	24½
14, 15, 22, 23,	W. Oak	15	S 7½ W	37
	B. Oak	—	S 49¾ E	52
10, 11, 14, 15,	W. Oak	8	S 85½ E	56
	Do	18	N 84¾ W	1.66
2, 3, 10, 11,	W. Oak	10	S 82 W	43
	Do	24	N 87½ E	50
27, 28, 33, 34,	G. Ash	6	S. 41 E	14
	Sassafras	14	N. 41 W	45
21, 22, 27, 28,	G. Ash	20	S. 32 W	5
	Beech	6	N. 44 E	9
15, 16, 21, 22,	Beech	9	S. 44 W	9
	Ironwood	10	N. 47 E	38
9, 10, 15, 16,	Poplar	18	N. 30 W	16
	W. Elm	20	S. 45 E	48
3, 4, 9, 10,	Br. Oak	12	S 35½ W	157
	Do	20	S 73¾ E	2.90
28, 29, 32, 33,	Sugar	7	N. 89 W	30
	Beech	22	S. 66 E	31
20, 21, 28, 29,	Hickory	12	S. 72 W	18
	Beech	10	S. 86 E	25
16, 17, 20, 21,	Sugar	22	S. 44 W	34
	Lynn	28	N. 72 E	46
8, 9, 16, 17,	S. Ash	28	S. 62 W	60
	W. Elm	24	S. 81 E	45
4, 5, 8, 9,	W. Oak	12	N 66½ E	5½
	Do	30	S 61½ W	63
29, 30, 31, 32,	W. Oak	30	S. 2 W	3.00
	Hickory	9	N. 50 W	1.60
19, 20, 29, 30;	Beech	20	N. 80 W	18
	do	9	N. 43 E	13
17, 18, 19, 20,	Beech	26	S. 63 W	38
	do	11	S. 88 E	10
7, 8, 17, 18,	Beech	22	S. 81 W	29
	do	11	S. 59 E	30
5, 6, 7, 8,	Hickory	16	N 16 E	98
	Do	10	S 7½ E	21

Interior Quarter Section Corners Described.

Qr. Sec. Posts on the Lines.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant
M to U at 1	Thorn B. Oak	20	S 80 W	7
	W. Oak		N 37½ E	8
2	W. Oak	30	N 18½ E	1.38½
	B. Oak	20	N 13 W	18½
3	W. Oak	18	N 9 W	45
	B. Oak	10	S 20½ W	1.13½
4	Poplar	20	N. 70 E	24
	do	26	S. 26 W	3
5	Beech	9	S. 19 E	43
	Sugar	23	N. 19 W	11
6	W. Oak	12	N. 21 E	35
	do	24	S. 48½ W	57
L to V at 1	B. Oak	14	S 60 E	54
	Do	24	S 74½ W	1.13
2	W. Oak	36	N 29 W	373
	Elm	12	N 62 W	3.19
3	Elm	8	S 6½ W	13
	W. Ash	10	N 74½ E	10
4	Sugar	11	S. 27 E	27
	do	6	N. 21 W	20
5	Sugar	20	S. 39 E	10
	Lynn	4	N. 2 W	3
6	W. Elm	24	N. 10 W	94
	W. Oak	19	S. 47 E	33
K to W at 1	W. Oak	18	N 3 E	43
	Do	18	S 13¾ E	29
2	W. Oak	18	N 51½ E	1.18
	B. Oak	15	S 55 W	63
3	W. Oak	18	S 24½ W	41
	Do	19	N 13½ E	10
4	Lynn	11	Corner,	
5	Sugar	10	S. 33 E	1
	do	30	N. 21 W	33
6	Beech	9	N. 63 W	34
	Sugar	24	S. 6½ E	21
I to X at 1	Hickory	8	S 5 E	50
	Do	7	N 34 E	30
2	W. Oak	20	N 31 E	3.35
	Do	4	S 31 W	2.05
3	W. Oak	12	N 43 E	1.45
	B. Oak	18	N 15 W	1.87
4	Beech	20	N. 20 E	11
	do	10	South	38
5	Beech	28	N. 13 W	48
	Hickory	4	S. 13 W	20
6	Ironwood	8	Corner,	
H to Y at 1	W. Oak	25	S 26½ E	52
	Do	25	N 40½ W	28
2	W. Oak	20	N 80 E	
	Do	25	S 22 W	
3	W. Oak	18	S 24¾ E	1.37
	Do	14	S 38½ E	2.20
4	Set Post	& raised	Mound	
5	Hickory	10	N 38½ E	20½
	Ironwood	10	S 14½ W	24
6	Beech	14	N 33 W	13
	Do	19	S 9½ E	41
O to F at 1	Sugar	18	S 16¾ W	18½
	W. Ash	8	N 45½ E	22
2	In Lake,			
3	B. Oak	9	N 37 E	39
	W. Oak	6	N 74 W	44½
4	W. Oak	18	S 74 E	1.57
	Do	15	S 31½ W	71
5	W. Oak	20	N 73¼ W	67
	Do	20	N 50¼ E	55
6	B. Oak	20	N 84 E	3.15
	Do	8	S 88 E	3.13

Qr. Sec. Posts on the Lines.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
P to E at 1	W. Oak	18	N 85½ E	42
	Do	24	S 45½ W	42
2	B. Ash	6	S 77 E	18½
	Do	7	N 66¼ W	32
3	Ironwood	8	S 30 W	29
	W. Ash	9	S 84¾ E	21
4	B. Oak	20	N 43 W	69
	W. Oak	24	S 58 E	89
5	B. Oak	24	S 20 W	13
	W. Oak	18	N 8¼ E	1.42
6	W. Oak	18	N 45½ W	82
	Do	18	S 23 W	2.12
Q to D at 1	Ironwood	7	S. 18 E	27
	Coffeenut	7	S. 89 W	26
2	R. Oak	29	Corner.	
3	Ironwood	14	South	24
	Poplar	18	N. 20 E	28
4	Lynn	4	S. 29 E	5
	Beech	19	N. 78 W	9
5	S. Oak	20	S. 19 E	58
	Ironwood	14	N. 25 W	27
6	W. Oak	18	S 50½ E	34
	B. Oak	18	N 39 W	80
R to C at 1	Ironwood	6	S. 74 W	8
	W. Elm	12	N. 54 E	22
2	Hornbeam	8	S. 72 W	12
	do	6	N. 83 E	7
3	Sugar	20	S. 82 W	11
	do	24	S. 85 E	18
4	Beech	7	S. 57 W	5
	Buckeye	12	N. 60 E	28
5	Cherry	11	Corner,	
6	Willow	8	S 71¼ E	31
	Aspen	10	S 88 W	29½
S to B at 1	B. Oak	16	S. 20 W	50
	W. Oak	28	N. 30 W	53
2	Beech	26	S. 50 E	23
	do	20	S. 61 W	30
3	S. Oak	26	S. 72 W	20
	do	26	N. 75 E	28
4	Sugar	28	S. 30 W	16
	Lynn	29	North	25
5	Sycamore	16	S. 75 W	28
	do	16	East	16
6	Sycamore	24	S 55½ W	29
	Hickory	14	N 81 E	27

Township No. 34 N. Range No. 8 E. 2d. Mer. Inda.



Surveyed in 1834 by R. J. Dawson Deputy Surveyor.

Reserve " 1838 " A. S. C. Vance " "

I certify that the above is a true copy of the Original plat in this Office.

Surveyor General's Office. Detroit Nov. 1. 1849 } Lucius Lyon, Surr. Genl.

DIAGRAM

of

MEANDERED LAKE

IN

T. No. 34 N., R. No. 8 E. of the 2nd MER.,

INDIANA.

Tamarac Lake in Sec. No. 1.				
	N	74	E	12.00
	N	71¼	E	13.00
	N	67½	E	13.50
	N	21¼	E	8.50
	N	8¾	E	16.00
	N	47¼	W	9.00
	N	14	E	5.50
	N	30½	W	12.00
	N	69½	W	8.50
	S	59	W	6.50
	S	33½	W	9.50
	S	9½	E	10.00
	S	30	W	25.00
	S	57	W	3.50
	S	51½	W	4.50
	S	1	W	13.50
	S	68	E	4.82

Department of the Interior,
General Land Office
Washington D.C. March 10th 1875

I hereby certify that the above Diagram of a meandered Lake in Section 1 of Township No. 34 North, Range 8 East of the 2nd Meridian Indiana, has been constructed from the Field notes on file in this Office and areas calculated in persuance of the Act of Congress approved 22nd January 1853.

W. W. Curtis
Act'g Commissioner and ex-officio
Surveyor General of Indiana.